




10	9	8	7	6	5	4	3	2	1

10	9	8	7	6	5	4	3	2	1

F

F

E

E

D

D

C

C

B


B

A

A

A-42227-0968/1001					
HEADER NUMBER:			41411		
PLATING:			154		
PIN LENGTH: L			.670/17.02		
MATING LENGTH: M			.295/7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.250/6.35		
TIN: T			OVERALL		
CKTS:			3-36		
KINKS:			NO		
REMOVED BACKWALLS:			YES		
VOIDED CKTS:			NONE		
PACKAGING:			BULK, PER PK-40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42227-0985	A-42227-0985
3			21	42227-0986	A-42227-0986
4	42227-0969	A-42227-0969	22	42227-0987	A-42227-0987
5	42227-0970	A-42227-0970	23	42227-0988	A-42227-0988
6	42227-0971	A-42227-0971	24	42227-0989	A-42227-0989
7	42227-0972	A-42227-0972	25	42227-0990	A-42227-0990
8	42227-0973	A-42227-0973	26	42227-0991	A-42227-0991
9	42227-0974	A-42227-0974	27	42227-0992	A-42227-0992
10	42227-0975	A-42227-0975	28	42227-0993	A-42227-0993
11	42227-0976	A-42227-0976	29	42227-0994	A-42227-0994
12	42227-0977	A-42227-0977	30	42227-0995	A-42227-0995
13	42227-0978	A-42227-0978	31	42227-0996	A-42227-0996
14	42227-0979	A-42227-0979	32	42227-0997	A-42227-0997
15	42227-0980	A-42227-0980	33	42227-0998	A-42227-0998
16	42227-0981	A-42227-0981	34	42227-0999	A-42227-0999
17	42227-0982	A-42227-0982	35	42227-1000	A-42227-1000
18	42227-0983	A-42227-0983	36	42227-1001	A-42227-1001
19	42227-0984	A-42227-0984			-

A-42227-1002/1036					
HEADER NUMBER:			41411		
PLATING:			228		
PIN LENGTH: L			.600/15.24		
MATING LENGTH: M			.295/7.49		
GOLD POINT: G			.180/4.57		
PC TAIL LENGTH: P			.180/4.57		
TIN: T			.135/3.43		
CKTS:			2-36		
KINKS:			NO		
REMOVED BACKWALLS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK, PER PK-40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42227-1020	A-42227-1020
3	42227-1003	A-42227-1003	21	42227-1021	A-42227-1021
4			22	42227-1022	A-42227-1022
5	42227-1005	A-42227-1005	23	42227-1023	A-42227-1023
6	42227-1006	A-42227-1006	24	42227-1024	A-42227-1024
7	42227-1007	A-42227-1007	25	42227-1025	A-42227-1025
8	42227-1008	A-42227-1008	26	42227-1026	A-42227-1026
9	42227-1009	A-42227-1009	27	42227-1027	A-42227-1027
10	42227-1010	A-42227-1010	28	42227-1028	A-42227-1028
11	42227-1011	A-42227-1011	29	42227-1029	A-42227-1029
12	42227-1012	A-42227-1012	30	42227-1030	A-42227-1030
13	42227-1013	A-42227-1013	31	42227-1031	A-42227-1031
14			32	42227-1032	A-42227-1032
15	42227-1015	A-42227-1015	33	42227-1033	A-42227-1033
16	42227-1016	A-42227-1016	34	42227-1034	A-42227-1034
17	42227-1017	A-42227-1017	35	42227-1035	A-42227-1035
18	42227-1018	A-42227-1018	36	42227-1036	A-42227-1036
19	42227-1019	A-42227-1019			-

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN#509451				molex								
INCH		1:1														
GENERAL TOLERANCES (UNLESS SPECIFIED)								.100 FRICTION LOCK BREAKAWAY HEADER ASSY								
	MM	INCH														
4 PLACES		±		±	EC NO: 686785 DRWN: SUGEEB 2021/10/08 CHK'D: GGA 2022/02/28 APPR: GGA 2022/02/28				PRODUCT CUSTOMER DRAWING							
3 PLACES		±		±											0.01	
2 PLACES		±	0.25	±					0.014							
1 PLACE		±	0.36	±												
0 PLACES		±		±	INITIAL REVISION: DRWN: DRAWN BY 0099/99/99 APPR: APPR BY 0099/99/99				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
ANGULAR TOL ± 0.5°				SD-42227-002					PSD		001		L			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING B-SIZE		SERIES 42227		MATERIAL NUMBER		CUSTOMER GENERAL MARKET		SHEET NUMBER 11 OF 12		

DOCUMENT STATUS	P1	RELEASE DATE	2022/02/28	11:54:37
-----------------	----	--------------	------------	----------

10	9	8	7	6	5	4	3	2	1