

Sliver for SFF-TA-1002

TE Internal #: 2324305-1 Sliver Cable Assembly, 124 Position, .5 m, 16 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 124 Signal Positions, CL2 View on TE.com >

Cable Assemblies > Copper Cable Assemblies > Internal I/O Cable Assemblies



Cable Assembly Type: Sliver Connector Type (End A): Sliver Plug Connector Type (End B): Sliver Plug Cable Style: Discrete Pair Cable Assembly Category: High Speed

Features

Product Type Features



Cable Assembly Type	Sliver
Connector Type (End A)	Sliver Plug
Connector Type (End B)	Sliver Plug
Cable Style	Discrete Pair
Cable Assembly Category	High Speed
Configuration Features	
Number of Positions	124
Number of Signal Positions	124
Electrical Characteristics	
Impedance	85 Ω
Signal Characteristics	
Data Rate	16 Gb/s
Body Features	
Cable Flammability Rating	CL2

2324305-1

Sliver Cable Assembly, 124 Position, .5 m, 16 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 124 Signal Positions, CL2



Dimensions	
Wire Size	33 AWG
Operation/Application	
Halogen Free	No
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	.5 m
-	
For compliance documentation, visit the product page on TE.com>	Compliant
-	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant

ppm.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Sliver for SFF-TA-1002


2324305-1

Sliver Cable Assembly, 124 Position, .5 m, 16 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 124 Signal Positions, CL2





Customers Also Bought



Documents

Product Drawings C/A, SLIVER 124P, STR TO STR

English



CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2339107-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2339107-1_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2339107-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Sliver Internal Cabled Interconnect Solutions Brochure (Chinese)

Product Specifications Product Specification

English