

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


© COPYRIGHT - TE Connectivity Ltd.

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E1	REVISED PER ECR-16-001552	20DEC2019	RZ	RS

- ① BRASS PER QQ-B-626
- ② GOLD PLATE PER MIL-G-45204  
0.76µm [.000030] MINIMUM THICK
- ③ GOLD PLATE PER MIL-G-45204  
1.27µm [.000050] MINIMUM THICK
- ④ GOLD PLATE PER MIL-G-45204  
2.54µm [.000100] MINIMUM THICK
- ⑤ SILVER PLATE PER QQ-S-365  
2.54µm [.000100] MINIMUM THICK
- ⑥ GOLD PLATE PER MIL-G-45204  
0.20µm [.000008] MINIMUM THICK



1.09 [.043]	④	1-331357-7
0.99 [.039]	④	1-331357-6
0.99 [.039]	⑤	1-331357-5
1.09 [.043]	⑥	1-331357-4
0.99 [.039]	⑥	1-331357-3
1.09 [.043]	③	1-331357-2
0.99 [.039]	③	1-331357-0

A	FINISH	PART NUMBER
---	--------	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.SCOTT 2-15-91				
DIMENSIONS: INCHES		CHK J. LIPPERT 3-20-91				
		APVD -	NAME CONTACT, PLUG, SERIES BNC			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC -	APPLICATION SPEC -			
MATERIAL 1	FINISH SEE TABLE	WEIGHT 0.000000	SIZE A3	CAGE CODE 00779	DRAWING NO C-331357	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 10:1	SHEET 1 OF 1	REV E1	