


1. MAXIMUM CONNECTOR INSERTION LOSS: 1.3 dB 38999 END (850/1300nm)  
0.5 dB LC END (850/1300nm)
2. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.
3. SEE TRACE LABEL DETAIL.



38999 POSITION	LC DUPLEX LABEL
A1	A1
B1	B1
A2	A2
B2	B2

FIBER PATH CHART

TE BAR CODE { } TE TRACE NO. XXXXXXXXXXXXXXXX  
 MADE IN XXXX 1985636-X } TE PART NO.

TRACE LABEL DETAIL

DESIGN APPROVED THIS PRINT IS  
**PRELIMINARY**  
 TO FIRST PIECE APPROVAL  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT

N (NORMAL)	6.000±0.102 [236.22±4.00]	1985636-2
N (NORMAL)	4.877±0.102 [192.00±4.00]	1985636-1
SHELL KEYING DESIGNATION	L	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN K. GLATFELTER 03DEC2007	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: METERS [INCHES]		CHK J. SHIPF 04DEC2007	NAME M. KADAR-KALLEN 04DEC2007	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		
0. PLC	± -	SIZE CAGE CODE DRAWING NO		
1. PLC	± -	A1 00779 C=1985636		
2. PLC	± -	RESTRICTED TO		
3. PLC	± -	WEIGHT		
4. PLC	± -	CUSTOMER DRAWING		
ANGLES	± -	SCALE NTS SHEET 1 OF 2 REV 3		

REVISION	DESCRIPTION OF CHANGES	DATE	APPROVAL
2	CHANGE NOTE FROM: 2.0mm, SIMPLEX TO: 1.8mm, TWIN ZIP.	04JAN08	J. SHIPE
3	ADD DASH 2 ASSEMBLY	21FEB08	J. SHIPE

DESIGN APPROVED THIS PRINT IS  
**PRELIMINARY**  
 TO FIRST PIECE APPROVAL  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG K. GLATFELTER	04JAN2008	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm		CHK J. SHIPE	07JAN2008	NAME CABLE ASSEMBLY, FIBER OPTIC, 4 CHANNEL 62.5/125, 38999 STYLE PLUG (OLIVE DRAB) TO LC DUPLEX	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± - 1. PLC ± - 2. PLC ± - 3. PLC ± - 4. PLC ± - ANGLES ± -		APP'D M. KADAR-KALLEN	07JAN2008	PRODUCT SPEC APPLICATION SPEC	
MATERIAL	FINISH	WEIGHT	SIZE A1	CAGE CODE 00779	DRAWING NO 1985636
			CUSTOMER DRAWING		RESTRICTED TO SCALE NTS SHEET 2 OF 2 REV 3