

**Data sheet | Item number: 727-256**

4-level end plate; marking: a-b-c-d--d-c-b-a; 7.62 mm thick; gray/gray

[www.wago.com/727-256](http://www.wago.com/727-256)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

|        |                        |
|--------|------------------------|
| Width  | 7.62 mm / 0.3 inches   |
| Height | 126 mm / 4.961 inches  |
| Depth  | 44.3 mm / 1.744 inches |

### Mechanical Data

|         |                  |
|---------|------------------|
| Marking | a-b-c-d--d-c-b-a |
|---------|------------------|

### Material Data

|                      |  |
|----------------------|--|
| Note (material data) | <a href="#">Information on material specifications can be found here</a> |
|----------------------|--|

|                             |                  |
|-----------------------------|------------------|
| Color                       | gray/gray        |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Fire load                   | 0.215 MJ         |
| Weight                      | 7.2 g            |

### Environmental requirements

|                                  |                 |
|----------------------------------|-----------------|
| Processing temperature           | -35 ... +85 °C  |
| Continuous operating temperature | -60 ... +105 °C |

### Commercial data

|                       |               |
|-----------------------|---------------|
| eCl@ss 10.0           | 27-14-11-33   |
| eCl@ss 9.0            | 27-14-11-33   |
| ETIM 8.0              | EC000886      |
| ETIM 7.0              | EC000886      |
| PU (SPU)              | 25 pcs        |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4055143783316 |
| Customs tariff number | 85389099990   |

Subject to changes. Please also observe the further product documentation!

## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

## Required accessories

### End plate

#### Common potential terminal block

**Item no.: 727-227/022-000**

4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; light gray

[www.wago.com/727-227/022-000](http://www.wago.com/727-227/022-000)

**Item no.: 727-235/022-000**

4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; orange

[www.wago.com/727-235/022-000](http://www.wago.com/727-235/022-000)

**Item no.: 727-225/022-000**

4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; orange

[www.wago.com/727-225/022-000](http://www.wago.com/727-225/022-000)

**Item no.: 727-238/022-000**

4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; light gray

[www.wago.com/727-238/022-000](http://www.wago.com/727-238/022-000)

**Item no.: 727-236/022-000**

4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; orange

[www.wago.com/727-236/022-000](http://www.wago.com/727-236/022-000)

**Item no.: 727-226/022-000**

4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; orange

[www.wago.com/727-226/022-000](http://www.wago.com/727-226/022-000)

**Item no.: 727-237/022-000**

4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; light gray

[www.wago.com/727-237/022-000](http://www.wago.com/727-237/022-000)

**Item no.: 727-228/022-000**

4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; light gray

[www.wago.com/727-228/022-000](http://www.wago.com/727-228/022-000)

#### Terminal block for matrix patching

**Item no.: 727-222/022-000**

4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; white

[www.wago.com/727-222/022-000](http://www.wago.com/727-222/022-000)

**Item no.: 727-229/022-000**

4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray

[www.wago.com/727-229/022-000](http://www.wago.com/727-229/022-000)

**Item no.: 727-232/022-000**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; white [www.wago.com/727-232/022-000](http://www.wago.com/727-232/022-000)

**Item no.: 727-220/022-000**  
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/727-220/022-000](http://www.wago.com/727-220/022-000)

**Item no.: 727-223/022-000**  
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; blue [www.wago.com/727-223/022-000](http://www.wago.com/727-223/022-000)

**Item no.: 727-224/022-000**  
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; blue [www.wago.com/727-224/022-000](http://www.wago.com/727-224/022-000)

**Item no.: 727-230/022-000**  
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/727-230/022-000](http://www.wago.com/727-230/022-000)

**Item no.: 727-233/022-000**  
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; blue [www.wago.com/727-233/022-000](http://www.wago.com/727-233/022-000)

**Item no.: 727-219/022-000**  
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/727-219/022-000](http://www.wago.com/727-219/022-000)

**Item no.: 727-234/022-000**  
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; blue [www.wago.com/727-234/022-000](http://www.wago.com/727-234/022-000)

**Item no.: 727-221/022-000**  
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 7.5 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; white [www.wago.com/727-221/022-000](http://www.wago.com/727-221/022-000)

**Item no.: 727-231/022-000**  
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: a-b-c-d--d-c-b-a; for 35 x 15 mounting rail; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; white [www.wago.com/727-231/022-000](http://www.wago.com/727-231/022-000)

## Downloads

### Documentation

#### Additional Information

pdf [Download](#)  
2.2 MB

## CAD/CAE-Data

### CAE data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



ZUKEN Portal 727-256

[URL](#)

[Download](#)

EPLAN Data Portal 727-256

[URL](#)

[Download](#)

#### CAD data

2D/3D Models 727-256

[URL](#)

[Download](#)

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 727-256

[URL](#)

[Download](#)

4-level end plate; marking: a-b-c-d--d-c-b-a; 7.62 mm thick; gray/gray

### Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.