

## UTC-300P-B

1D/2D Barcode Reader for UTC-300 Series



USB connection to UTC

1D :Up to 500 scans per second

2D: Up to 60 frame rate per second

## Product Specifications

Part Number	UTC-300P-BB30E	UTC-300P-BB31E	UTC-300P-BB40E
Details			
Best Fit			
Best Fit	for UTC-315	for UTC-315	for UTC-318
OS Support			
OS Support	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)
Interface			
Interface	USB	USB	USB
Dimensions			
Dimensions	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm
Color			
Color	Black	Black	Black

## Product Specifications

Part Number	UTC-300P-BB41E	UTC-300P-BW30E	UTC-300P-BW31E
Details			
Best Fit			
Best Fit	for UTC-318	for UTC-315	for UTC-315
OS Support			
OS Support	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)
Interface			
Interface	USB	USB	USB
Dimensions			
Dimensions	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm
Color			
Color	Black	White	White

## Product Specifications

Part Number	UTC-300P-BW31E	UTC-300P-BW40E	UTC-300P-BW41E
Details			
Best Fit			
Best Fit	for UTC-315	for UTC-318	for UTC-318
OS Support			
OS Support	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)
Interface			
Interface	USB	USB	USB
Dimensions			
Dimensions	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm
Color			
Color	White	White	White