




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
AF	50	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A1		REVISED PER ECR-05-009099	30AUG05	MF	KR



- 1 SLOT TERMINATES EITHER A SINGLE OR DOUBLE MAGNET WIRE OF THE SAME SIZE AND TYPE.
COPPER RANGE: 0.91-1.15mm [#19-#17] AWG.
- 2 AFTER INSERTION INTO PLASTIC HOLDER TAB PORTION MUST BE BENT OVER 45° TO 90° OR POTTED TO PREVENT PULL-OUT WHEN MATING RECEPTACLE IS DISCONNECTED.
- 3 SPECIAL CAVITY ANVIL HEIGHT REQUIRED
3.30±0.07 [.130±.003]
REF APPLICATION SPEC 114-2046, SEC. 3.2, NOTE 7



1742242-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 17FEB2005 MICHAEL S. FEHER	tyco Tyco Electronics Corporation	
DIMENSIONS: INCHES		CHK 17FEB2005 KURT A. RANDOLPH	Harrisburg, Pa 17105-3608	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 17FEB2005 KURT A. RANDOLPH	NAME	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	TERMINAL, TAB,	
2 PLC ± 0.25 [.010]	3 PLC ± -	APPLICATION SPEC	4.75 [.187] FASTON, LOOSE PIECE,	
4 PLC ± -	ANGLES ± -	114-2046 3	SIZE	RESTRICTED TO
MATERIAL 4M BRASS	FINISH 0.002032 [.000080] MIN TIN PLATE	WEIGHT -	A2 00779	C=1742242
CUSTOMER DRAWING		SCALE 10:1	SHEET 1 OF 1	REV A1