(815) 968-9731

SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Glass Cleaner

Product Name: GLASS TREATMENT COMPOUND Phone: (800) 424-9300 Part Number(s): 10-1756 SECTION 2. HAZARDOUS INGREDIENTS Category 3 **Physical hazards** Flammable liquids Not classified. Health hazards Environmental hazards Not classified. **OSHA** defined hazards Not classified. Label elements Signal word Danger flammable liquid and vapor. Hazard statement Precautionary statement Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly Prevention closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Response In case of fire: Use appropriate media to extinguish. Storage Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None.

Emergency Contact: Chemtrec

ELECTRONICS

1801 Morgan Street Rockford, IL 61102 Phone: (815) 968-9661 Fax: www.qcelectronics.com

Product Type:



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-PROPANOL		67-63-0	4
Other components below repor	table levels		96

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Carbon dioxide (CO2). Dry chemical powder
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 5. FIRE-FIGHTING MEASURES (CONTINUED)

Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
	Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect
	material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust
	ventilation. Take precautionary measures against static discharges. All equipment used when
	handling the product must be grounded. Use non-sparking tools and explosion-proof equipment.
	Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good
	industrial hygiene practices.

Conditions for safe storage, Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Limits for Ai Components	Туре	, Value	
2-PROPANOL (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
		400 ppm	
US. ACGIH Threshold Limit Value	es	400 ppm	
US. ACGIH Threshold Limit Value Components	es Type	Value	



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION (CONTINUED)

Components		ре		alue
2-PROPANOL (CAS 67-63-0)	ST	EL	12	225 mg/m3
			50	00 ppm
	τv	VA	98	30 mg/m3
			40	00 ppm
iological limit values				
ACGIH Biological Exposu	re Indices			
Components	Value	Determinant	Specimen	Sampling Time
2-PROPANOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
* - For sampling details, ple	ase see the source de	ocument.		
	changes per hou	r) should be used. Ve	entilation rates sh	Good general ventilation (typically 10 air nould be matched to conditions. If
ppropriate engineering ontrols ndividual protection measure	changes per hou applicable, use p maintain airborne established, mair	r) should be used. Ve rocess enclosures, lo e levels below recom ntain airborne levels t protective equipme	entilation rates sh local exhaust vent mended exposur o an acceptable ent	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been
ontrols	changes per hou applicable, use p maintain airborne established, mair	r) should be used. Ve rocess enclosures, lo e levels below recomi ntain airborne levels t	entilation rates sh local exhaust vent mended exposur o an acceptable ent	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been
idividual protection measure	changes per hou applicable, use p maintain airborne established, mair	r) should be used. Ve rocess enclosures, lo e levels below recom ntain airborne levels t protective equipme	entilation rates sh local exhaust vent mended exposur o an acceptable ent	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been
ndividual protection measure Eye/face protection	changes per hou applicable, use p maintain airborne established, mair s, such as personal Wear safety glass	r) should be used. Ve rocess enclosures, lo e levels below recom ntain airborne levels t protective equipme ses with side shields	entilation rates sh local exhaust vent mended exposur o an acceptable ent (or goggles).	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been
ndividual protection measure Eye/face protection Skin protection	changes per hou applicable, use p maintain airborne established, mair s, such as personal Wear safety glass Wear appropriate	r) should be used. Ve rocess enclosures, lo e levels below recom ntain airborne levels t protective equipme ses with side shields e chemical resistant g	entilation rates sh local exhaust vent mended exposur o an acceptable ent (or goggles).	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been level.
ndividual protection measure Eye/face protection Skin protection Hand protection	changes per hou applicable, use p maintain airborne established, mair s, such as personal Wear safety glass Wear appropriate supplier. Wear suitable pro If engineering con limits (where app	r) should be used. Ve rocess enclosures, lo e levels below recomm ntain airborne levels t protective equipme ses with side shields e chemical resistant g ptective clothing. ntrols do not maintair	entilation rates sh local exhaust vent mended exposur o an acceptable ent (or goggles). loves. Suitable g n airborne concer ptable level (in c	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been level. gloves can be recommended by the glove ntrations below recommended exposure countries where exposure limits have not
ndividual protection measure Eye/face protection Skin protection Hand protection Other	changes per hou applicable, use p maintain airborne established, main s, such as personal Wear safety glass Wear appropriate supplier. Wear suitable pro If engineering con limits (where app been established	r) should be used. Ve rocess enclosures, lo e levels below recomm ntain airborne levels t protective equipme ses with side shields e chemical resistant g ptective clothing. ntrols do not maintair licable) or to an acce	entilation rates sh incal exhaust vent mended exposur o an acceptable ent (or goggles). loves. Suitable g mairborne conce ptable level (in c ator must be wo	nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been level. gloves can be recommended by the glove intrations below recommended exposure countries where exposure limits have not rn.



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	CLEAR
Odor	MILD
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	32 °F (0 °C)
Initial boiling point and boiling range	210.74 °F (99.3 °C) estimated
Flash point	110.0 °F (43.3 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	2.5 % estimated
Flammability limit - upper (%)	12 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	750.2 °F (399 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES (CONTINUED)

Other informationDensity8.24 lbs/galExplosive propertiesNot explosive.Flammability classCombustible II estimatedOxidizing propertiesNot oxidizing.Percent volatile99.94 % estimatedSpecific gravity0.99VOC (Weight %)4 % estimated

SECTION 10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Prolonged inhalation may be harmful.	
No adverse effects due to skin contact are expected.	
Direct contact with eyes may cause temporary irritation.	
Expected to be a low ingestion hazard.	
Direct contact with eyes may cause temporary irritation.	
cts	
Not available.	
Prolonged skin contact may cause temporary irritation.	



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 11. TOXICOLOGICAL INFORMATION (CONTINUED)

Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	1
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Not available. OSHA Specifically Regulate Not listed.	Evaluation of Carcinogenicity od Substances (29 CFR 1910.1001-1050) ogram (NTP) Report on Carcinogens
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.



SDS Number: 203 Revision Date: **03/18/2019** Supersedes Date: **08/18/2015**

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environmer		
Components		Species	Test Results
2-PROPANOL (CAS 67-63-0)			
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
* Estimates for product may be	e based on additi	ional component data not shown.	
Persistence and degradability	No data is avai	lable on the degradability of this produ	ct.
Bioaccumulative potential			
Partition coefficient n-octan	ol / water (log K	ow)	
2-PROPANOL		0.05	
Mobility in soil	No data availat	ble.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

DOT Not regulated as da	ISPORTATION INFORMATION ngerous goods. packaging may be different from that listed. UN1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION (2-PRO Special precautions for user Read safety instruct	CALCULATION CONTRACTOR	3 - II No. F-E, S-D	
Part Number(s): 10-17	56			Page 9 of 12



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 15. REGULATORY INFORMATION

US federal regulations	This product is a "Haz Standard, 29 CFR 191	ardous Chemical" as defined by the OSHA H 0.1200.	lazard Communication
TSCA Section 12(b) Export	Notification (40 CFR 70	7, Subpt. D)	
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Not listed.			
SARA 304 Emergency relea	se notification		
Not regulated.			
OSHA Specifically Regulate	o Substances (29 CFR	1910.1001-1050)	
Not listed.			
Superfund Amendments and Re			
Hazard categories	Immediate Hazard - N Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Po	llutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Sectior	n 112(r) Accidental Rele	ease Prevention (40 CFR 68.130)	
Not regulated.		FEMA Priority Substances Res	piratory Health and
Safe Drinking Water Act (SDWA)	Not regulated.	Safety in the Flavor Manufact	turing Workplace
US state regulations		2-PROPANOL (CAS 67-63-0)	Low priority
US. California Controlled Su Not listed.	ubstances. CA Departm	nent of Justice (California Health and Safe	ty Code Section 11100)
	hemicals List. Safer Co	onsumer Products Regulations (Cal. Code	Regs, tit. 22, 69502.3, subd.
2-PROPANOL (CAS 67-6	33-0)		
US. Massachusetts RTK - S			
2-PROPANOL (CAS 67-6			
D = m M m m h = m(a) + 40.47 C C			Deve 10 et



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 15. REGULATORY INFORMATION (CONTINUED)

US. New Jersey Worker and Community Right-to-Know Act

2-PROPANOL (CAS 67-63-0)

- US. Pennsylvania Worker and Community Right-to-Know Law 2-PROPANOL (CAS 67-63-0)
- US. Rhode Island RTK

2-PROPANOL (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16. OTHER INFORMATION

HMIS® ratingsHealth: 0Flammability: 3Physical hazard: 0NFPA ratingsHealth: 2Flammability: 2Instability: 0

Part Number(s): 10-1756



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 16. OTHER INFORMATION (CONTINUED)

GC Electronics believes that the information contained herein is accurate and reliable as of the date of this material safety data sheet, but no representation guarantee or warranty, express or implied, is made as to the accuracy, reliability or completeness of the information. Persons receiving information are encouraged to make their own determination as to the information's suitability and completeness for their particular application. NO INFORMATION CONTAINED HEREIN CONSTITUTES A PRODUCT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANT ABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY GC ELECTRONICS.