

**Data sheet | Item number: 216-287**

Ferrule; Sleeve for 4 mm<sup>2</sup> / AWG 12; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray



[www.wago.com/216-287](http://www.wago.com/216-287)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Technical data

|                            |                   |
|----------------------------|-------------------|
| Main product function      | Ferrule           |
| Sleeve cross-section (AWG) | 12 AWG            |
| Sleeve for                 | 4 mm <sup>2</sup> |

### Connection data

|              |                     |
|--------------|---------------------|
| Strip length | 20 mm / 0.79 inches |
|--------------|---------------------|

### Physical data

|                                 |        |
|---------------------------------|--------|
| Length                          | 26 mm  |
| Crimp length (length of sleeve) | 18 mm  |
| Diameter                        | 5.4 mm |
| Inner Diameter plastic collar   | 4.8 mm |
| Diameter crimp sleeve inside    | 2.8 mm |

### Mechanical Data

|          |                     |
|----------|---------------------|
| Suitable | 2010 to 2016 Series |
|----------|---------------------|

### Material Data

|        |       |
|--------|-------|
| Color  | gray  |
| Weight | 0.2 g |

### Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| eCl@ss 10.0           | 27-40-02-01                    |
| eCl@ss 9.0            | 27-40-02-01                    |
| ETIM 8.0              | EC000005                       |
| ETIM 7.0              | EC000005                       |
| PU (SPU)              | 500 pcs                        |
| Packaging type        | box                            |
| Country of origin     | DE                             |
| GTIN                  | 4044918604345                  |
| Customs tariff number | 85369010000                    |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

### Downloads

#### Documentation

##### Bid Text

|                        |              |                |          |
|------------------------|--------------|----------------|----------|
| 216-287<br>X81 - Datei | 2019 年2月19 日 | xml<br>2.9 kB  | Download |
| 216-287<br>doc - Datei | 2017 年9月11 日 | doc<br>25.1 kB | Download |

## Environmental Product Compliance

### Compliance Search


Environmental Product Compliance 216-287

URL

Download

Ferrule; Sleeve for 4 mm<sup>2</sup> / AWG 12; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

### Installation Notes



A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.