

MCON Interconnection System

TE Internal #: 1924292-5

Housing for Female Terminals, Wire-to-Device / Wire-to-Board /

Wire-to-Wire, 6 Position, .157 in [4 mm] Centerline, MCON

Interconnection System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1.2 mm [.047 in]

Connector System: Wire-to-Board, Wire-to-Device, Wire-to-Wire

Number of Positions: 6

Centerline (Pitch): 4 mm [.157 in]

Features

Product Type Features

| Troduct Type realures | |
|--------------------------|---|
| Connector Shape | Rectangular |
| Connector & Housing Type | Housing for Female Terminals |
| Connector System | Wire-to-Board, Wire-to-Device, Wire-to- Wire |
| Sealable | Yes |
| Hybrid Connector | No |
| Primary Locking Feature | Integrated in Housing |
| Configuration Features | |
| Number of Positions | 6 |
| Number of Rows | 1 |
| Body Features | |
| Primary Product Color | Black |
| Connector & Keying Code | A |
| Contact Features | |

1.2mm

Receptacle

1.2 mm[.047 in]

Mating Tab Width

Contact Size

Contact Type

Mechanical Attachment



| Terminal Position Assurance | Yes |
|--------------------------------------|---|
| Strain Relief | Without |
| Mating Alignment Type | Keyed |
| Mating Alignment | With |
| Connector Mounting Type | Cable Mount (Free-Hanging) |
| Housing Features | |
| Housing Material | PA GF |
| Centerline (Pitch) | 4 mm[.157 in] |
| Dimensions | |
| Connector Height | 17.5 mm[.689 in] |
| Product Width | 26.5 mm[1.043 in] |
| Product Length | 32.7 mm[1.287 in] |
| Usage Conditions | |
| Operating Temperature (Max) | 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F] |
| Operating Temperature Range | -40 - 125 °C[-40 - 257 °F] |
| Operation/Application | |
| Circuit Application | Signal |
| Industry Standards | |
| Degree of Protection | IP67 |
| Other | |
| Serviceable | Yes |
| Connector Position Assurance Capable | Yes |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) |



| | Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
|---------------------------|---|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | MCON Interconnection System



Automotive Connector Caps & Covers (24)



Automotive Connector Locks & Position Assurance(11)



Automotive Housings(315)



Automotive Seals & Cavity Plugs(5)





Automotive Terminals(118)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(7)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #1717109-1 0.64 III 16POS PLUG ASSY



TE Part #1-1456426-1 4POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #1-66098-9
II+ PIN, 18-16,TIN STRIP



TE Part #1-2141324-1 6POS, MCON 1.2 LL TAB SEALED COD A



TE Part #1488991-6 3POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #36467 SOLIS R 22-16 COMM 22-18 MIL 4



TE Part #HDP24-18-20PN REC, 20P, BLK, N, 16/20, P



TE Part #1028-024-0305 BKSHL, 3P, BLK, REC, ST, NW 8.5



TE Part #1670146-2 MCON 1.2 CB REC SWS AU



TE Part #1-1456426-5 4POS, MCON 1.2 CB REC 2p TL SEALED

Documents

Product Drawings

6POS, MCON 1.2 CB REC 2p TL SEALED

English

CAD Files

Customer View Model

ENG_CVM_CVM_1924292-5_C.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_1924292-5_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1924292-5_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MCON Interconnection System

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English