


RAST | RAST 5 IDC Connectors

TE Internal #: 928343-5 Housing, Receptacle, Wire-to-Wire, 5 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Wire Number of Positions: 5 Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

Connector Product Type	Housing			
Connector & Housing Type	Receptacle			
Connector System	Wire-to-Wire			
Sealable	No			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Keying & Polarized Rib Location	1a/5b			
Number of Positions	5			
Number of Rows	1			
Body Features				
Primary Product Color	Natural			
Termination Features				
Termination Method to Wire & Cable	Crimp			

Housing, Receptacle, Wire-to-Wire, 5 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



Mechanical Attachment

I+1 800 522 6752	08/19/2023	
EU RoHS Directive 2011/65/EU	Compliant	
Product Compliance For compliance documentation, visit the product page on TE.com>		
	series Tabs.	
Other Discrete Wire Connector Comment	Tab Housing uses FASTIN-FASTON .250	
Packaging Method	Bag	
Packaging Quantity	2000 Reg	
Packaging Features	0000	
UL Flammability Rating	UL 94V-2	
Glow Wire Rating	Standard Part - Not Glow Wire	
RAST Version	None	
Industry Standards		
Circuit Application	Power & Signal	
Operation/Application		
	-33 - 103 C[-07 - 221 T]	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
Usage Conditions		
Connector Height	12.2 mm[.48 in]	
Connector Length	25 mm[.984 in]	
Dimensions		
Centerline (Pitch)	5 mm[.197 in]	
Housing Material	PA 6.6	
Housing Features		
Connector Mounting Type	Cable Mount (Free-Hanging)	
Mating Retention Type Mating Retention	With	
PCB Mount Retention	Without Latch	
Panel Mount Feature	Without	
Strain Relief	Without	
Locking Latch Between Cavity Number		

C For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Wire, 5 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Housing, Receptacle, Wire-to-Wire, 5 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors








Also in the Series | RAST 5 IDC Connectors



Automotive Terminais(o)	Connector Contacts(12)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(1)
		Concentration of the second se	
PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(34)	Standard Rectangular Connectors(68)





Customers Also Bought

& For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Wire, 5 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors







TE Part #3-216093-4 AMP-LATCH PRE-ASSY DIL WITHO

Documents

Product Drawings

5P STD-TIMER GEH

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_928343-5_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_928343-5_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_928343-5_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Wire, 5 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



1654742_HOUSEHOLD_APPLIANCES_RAST5

English

Product Environmental Compliance MD_928343-5_11042015236_dmtec

English

MD_928343-5_11042015236_dmtec

English