CDFP

TE Internal #: 2274233-1

CDFP, Cage Assembly with Integrated Connector, 1 Port, Data

Rate (Max) 400 Gb/s, Internal/External EMI Springs, Cable-to-

Board, 60 Position, CDFP

View on TE.com >



Connectors > Pluggable IO Connectors & Cages > CDFP > CDFP Cage Assemblies











Pluggable I/O Product Type: Cage Assembly with Integrated Connector

Number of Ports: 1

Data Rate (Max): 400 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Connector System: Cable-to-Board

All CDFP Cage Assemblies (3)

Features

Product Type Features

| Form Factor | CDFP Style 2 |
|-----------------------------------|---|
| Cage Type | Single |
| Pluggable I/O Product Type | Cage Assembly with Integrated Connector |
| Connector System | Cable-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

| Port Configuration | Single Port |
|---------------------|-------------|
| Number of Ports | 1 |
| Number of Positions | 60 |

Electrical Characteristics

| Data Rate (Max) 400 Gb/s | |
|--------------------------|--|
|--------------------------|--|



Body Features

| , | |
|---|---------------------------|
| Cage Plating Material | Nickel |
| Contact Features | |
| Contact Base Material | Phosphor Bronze |
| Termination Features | |
| Termination Method to Printed Circuit Board | Through Hole - Press-Fit |
| Mechanical Attachment | |
| PCB Mounting Style | Single-Sided |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Cage Material | Zinc Alloy |
| Centerline (Pitch) | .75 mm[.03 in] |
| Dimensions | |
| Product Length | 71.3 mm[2.807 in] |
| Usage Conditions | |
| Operating Temperature Range | -40 - 85 °C[-40 - 185 °F] |
| Operation/Application | |
| Circuit Application | Signal |
| Other | |

Product Compliance

EMI Containment Feature Type

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |

Internal/External EMI Springs



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | CDFP



Customers Also Bought





Documents



Product Drawings

CDFP RCPT SUB-ASSY STYLE 2

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2274233-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2274233-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2274233-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

CDFP Connector and Cage Assembly CN

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English