

HDC enclosures HDC IP68 16B AS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083 www.weidmueller.com







The new RockStar® enclosures are resistant to seawater and offer a high degree of shock resistance, meet IP 68 and IP 69K, and have been developed for use under extreme environmental conditions and designed for the high vibration requirements acc. to DIN EN 61373 cat. 2 (bogie). As such, this housing family is ideally suited for fault- and maintenance-free operation of heavy-duty connectors in transport and traffic engineering as well as in power engineering and in applications with extreme requirements. During development, measures were also implemented to make the enclosures extremely EMC-resistant.

General ordering data

Order No.	<u>1081530000</u>
Туре	HDC IP68 16B AS
Version	HDC enclosures, Size: 6, Protection degree: IP 68, Bulkhead enclosure, Screw plug, Standard
GTIN (EAN)	4032248843992
Qty.	1 pc(s).



HDC enclosures HDC IP68 16B AS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Dimensions and weights

Dimensions and weights			
Length	164 mm	Width	58 mm
Height	29.5 mm	Mounting dimension - width	103 mm
Mounting dimension - height	32 mm	Net weight	180 g
Temperatures			
Continuous operating temp., min.	-50 °C	Continuous operating temp., max.	125 °C
Dimensions			
	164 mm	Mr. Int. 1	5 0
		Width housing C	58 mm
Total length housing			400
Total length housing Height of housing B	21 mm	Hole pitch length A2	103 mm
		Hole pitch length A2	103 mm
Height of housing B General data	21 mm	Hole pitch length A2	103 mm
Height of housing B		Hole pitch length A2	103 mm
Height of housing B General data	21 mm	Hole pitch length A2	103 mm
Height of housing B General data Housing main material Version	21 mm diecast aluminium		
Height of housing B General data Housing main material Version Design of housing	21 mm diecast aluminium Bulkhead enclosure	Size	6
Height of housing B General data Housing main material Version Design of housing Design	21 mm diecast aluminium Bulkhead enclosure Standard		
Height of housing B General data Housing main material Version Design of housing	21 mm diecast aluminium Bulkhead enclosure	Size	6
Height of housing B General data Housing main material Version Design of housing Design	21 mm diecast aluminium Bulkhead enclosure Standard	Size	6
Height of housing B General data Housing main material Version Design of housing Design Design of locking system Classifications	21 mm diecast aluminium Bulkhead enclosure Standard Screw plug	Size Top part/bottom part/lid	6 lower part
Height of housing B General data Housing main material Version Design of housing Design Design of locking system Classifications ETIM 2.0	21 mm diecast aluminium Bulkhead enclosure Standard Screw plug EC000437	Size Top part/bottom part/lid ETIM 3.0	6 lower part EC000437
Height of housing B General data Housing main material Version Design of housing Design Design of locking system Classifications	21 mm diecast aluminium Bulkhead enclosure Standard Screw plug	Size Top part/bottom part/lid	6 lower part

Approvals

Approvals



ROHS Conform



HDC enclosures HDC IP68 16B AS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083

www.weidmueller.com

Drawings

