
3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

1. Product Number

H 2 U C 4 W 1 H 2 D 0 3 0 0



2. Features

- *Stable and reliable in performances
- *Compact size
- *RoHS2.0 compliance
- *SMT processes compatible
- *AEC-Q200 compliant

3. Applications

- *Navigation systems or position tracking systems
- *Hand-held devices when GPS and WiFi (802.11a/b/g/n/ac) functions are needed, e.g., PDA, Smart phone, PND, Notebook computer.

4. Description

Unictron's AA099 ceramic chip antenna is designed for GPS & Wi-Fi CERTIFIED ac applications, covering frequencies 1.57542 GHz & 2.4~2.5 GHz & 5.15~5.85 GHz. Fabricated with proprietary design and processes, AA099H shows recommendately performance and is fully compatible with SMT processes which can decrease the assembly cost and improve device's quality and consistency.

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

Control Chip Antenna (AA099) Engineering Specification

DOCUMENT
NO.

H2UC4W1H2D0300


F

5. Layout Guide & Electrical Specifications


5-1. Layout Guide (Unit: mm)

Solder Land Pattern:

The solder land pattern (gold marking areas) is shown below. Recommendation on matching circuit will be provided according to customer's installation conditions.



Top View



Bottom View

Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

5-2. Electrical Specifications (Evaluation Board Dimensions: 80 x 40 mm²) 5-2-1. Electrical Table (GPS Band)

Charact	eristics	Specifications	Unit
Outline Dimensions	3	3.2 x 1.6 x 0.5	mm
Ground Plane Dime	ensions	80 x 40	mm
Working Frequency	1	1575.42	MHz
Isolation(S ₂₁)		≤-24 (typical)	dB
VSWR(@ center fre	equency)*	2 Max.	
Characteristic Impe	dance	50	Ω
Polarization		Linear Polarization	
Peak Gain	(@1575.40 MH=)	1.5 (typical)**	dBi
Efficiency	(@1575.42 MHz)	61 (typical)**	%

^{*}Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.

5-2-2. Electrical Table (WiFi Band, 2400-2500MHz)

Charact	eristics	Specifications	Unit
Working Frequency	,	2400~2500	MHz
Isolation(S ₂₁)		≤-8 (typical)	dB
VSWR(@ center fre	equency)*	2 Max.	
Characteristic Impe	dance	50	Ω
Polarization		Linear Polarization	
Peak Gain	(@2442 MU=)	0.4 (typical)**	dBi
Efficiency	(@2442 MHz)	50 (typical)**	%

^{*}Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.

Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

^{**}A Typical value is for reference only, not guaranteed.


^{**}A Typical value is for reference only, not guaranteed.

5-2-3. Electrical Table (WiFi Band, 5150-5850MHz)


Charact	eristics	Specifications	Unit
Working Frequency	1	5150~5850	MHz
Isolation(S ₂₁)		≤-39 (typical)	dB
VSWR(@ center free	equency)*	3 Max.	
Characteristic Impe	dance	50	Ω
Polarization		Linear Polarization	
Peak Gain	(@5550 MUz)	2.3 (typical)**	dBi
Efficiency	(@5550 MHz)	62 (typical)**	%

^{*}Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.

5-2-4. Return Loss & VSWR of GPS Band Return Loss (S₁₁)



VSWR(S₁₁)



Unictron
Technologies Corp.

2020-07-08

Document

Unictron Technologies Corp.

詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.


H2UC4W1H2D0300

^{**}A Typical value is for reference only, not guaranteed.


5-2-5. Return Loss & VSWR of WiFi Band Return Loss (S₁₁)







5-2-6. Isolation between GPS Band & WiFi Band



Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

Outline Dimensions of Antenna & Evaluation Board (unit: mm) 6-1. Antenna Dimensions 3.2 ± 0.15 Top View Front View Left View **Right View** NOTE: 1.All materials are RoHS 2.0 compliant. 2." A~©" Critical Dimensions. 3."()" Reference Dimensions. **Bottom View PIN Definitions** PIN₃ PIN₁ PIN₂ **Bottom View Top View** PIN **3**Unictron 1 2 Soldering PAD **GPS Input** Wi-Fi dual band Input Ground 2020-07-08 THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES 詠業科技股份有限公司 CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR Unictron Technologies Corporation SALE OF APPARATUS OR DEVICES WITHOUT **PERMISSION** Website:www.unictron.com Prepared by : Jane Designed by: Ken Checked by : Mike Approved by : Herbert **DOCUMENT** TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band REV. H2UC4W1H2D0300 Ceramic Chip Antenna (AA099) Engineering Specification NO.

6.



Unictron
T echnologies Corp.

2020-07-08

Document Control Cent



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.


H2UC4W1H2D0300


7. Radiation Pattern (with 80 x 40 mm² Evaluation Board)


7-1. GPS Band

7-1-1. 3D Gain Pattern @ 1575.42 MHz (unit: dBi)











詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.

H2UC4W1H2D0300

7-1-2. 3D Efficiency Table

Frequency(MHz)	1570	1571	1572	1573	1574	1575	1576	1577	1578	1579	1580
Efficiency(dB)	-2.2	-2.2	-2.1	-2.1	-2.1	-2.1	-2.1	-2.1	-2.1	-2.1	-2.1
Efficiency(%)	60.5	60.9	61.5	61.7	61.8	61.9	62.2	62.2	61.9	61.5	61.5
Peak Gain(dBi)	1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.4	1.4

7-1-3. 3D Efficiency vs. Frequency



Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.


H2UC4W1H2D0300


7-2. WiFi Band (2400~2500 MHz)

7-2-1. 3D Gain Pattern @ 2442 MHz (unit: dBi)









Document Control Cente



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

7-2-2. 3D Efficiency Table																
Frequency(MHz)	2400	2412	2417	2422	2427	2432	2437	2442	2447	2452	2457	2462	2467	2472	2484	2500
Efficiency(dB)	-3.9	-3.8	-3.6	-3.4	-3.4	-3.1	-3.1	-3.0	-2.9	-2.8	-2.8	-2.7	-2.7	-2.7	-2.8	-3.0
Efficiency(%)	40.8	41.5	44.1	45.2	46.2	48.5	49.3	50.5	50.7	51.9	52.7	53.2	54.2	53.9	52.2	50.1
Peak Gain(dBi)	0.0	0.0	0.1	0.3	0.2	0.5	0.4	0.4	0.5	0.6	0.6	0.8	0.9	0.9	8.0	0.7

7-2-3. 3D Efficiency vs. Frequency



Unictron
Technologies Corp.

2020-07-08

Document ontrol Cente



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.


H2UC4W1H2D0300


7-3. WiFi Band (5150~5850 MHz)

7-3-1. 3D Gain Pattern @ 5150 MHz (unit: dBi)











詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT **PERMISSION**


Prepared by : Jane Designed by: Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.

H2UC4W1H2D0300

7-3-2. 3D Gain Pattern @ 5550 MHz (unit: dBi)









2020-07-08

Document ontrol Center



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.


H2UC4W1H2D0300

7-3-3. 3D Gain Pattern @ 5850 MHz (unit: dBi)









2020-07-08

Ontrol Center



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.

H2UC4W1H2D0300

7-3-4. 3D Efficiency Table

Frequency(MHz)	5150	5200	5250	5300	5350	5400	5450	5500	5550	5600	5650	5700	5750	5800	5850
Efficiency(dB)	-3.3	-2.6	-2.6	-2.3	-2.4	-2.1	-1.7	-2.1	-2.0	-2.0	-2.2	-1.8	-2.2	-2.0	-2.8
Efficiency(%)	46.3	54.8	54.9	58.7	57.9	62.2	67.3	61.6	62.6	63.7	59.8	65.6	59.6	63.7	52.7
Peak Gain(dBi)	0.2	1.0	1.2	1.6	1.3	1.5	1.7	1.7	2.3	2.2	1.8	2.2	1.6	2.2	1.4

7-3-5. 3D Efficiency vs. Frequency



Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

8. Frequency tuning and Matching circuit

8-1. Chip antenna tuning scenario:



Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

8-2. Matching circuit:

With the following recommended values of matching and tuning components, the center frequencies will be about 1575.42 MHz on GPS band and 2442 MHz for F_{\perp} & 5550 MHz for F_{\perp} on WiFi band at our standard 80x40 mm² evaluation board. However, these are typical reference values which may need to be changed when circuit boards or part vendors are different.



System Matching Circuit Component						
Location	Description	Vendor	Tolerance			
1	N/A*					
2	0Ω, (0402)	-	±5%			
3	N/A*					
4 Fine tuning element	1.8pF, (0201)	MURATA	±0.05pF			
5 Fine tuning element	0.8pF, (0201)	MURATA	±0.05pF			
6 Fine tuning element	0.9pF, (0201)	MURATA	±0.05pF			
7 Fine tuning element	0.9pF, (0201)	MURATA	±0.05pF			
8 Fine tuning element	0.4pF, (0201)	MURATA	±0.05pF			
9	0Ω, (0402)	-	±5%			
10	N/A*					
11	0Ω, (0402)	-	±5%			
12	N/A*					
DC Block	22pF, (0402)	MURATA	±5%			

Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

9. Soldering Conditions

9-1. Typical Soldering Profile for Lead-free Process



*Recommended solder paste alloy: SAC305 (Sn96.5 /Ag3 /Cu0.5) Lead Free solder paste

10. Reminders for users of Unictron's AA099 ceramic chip antennas

- 10-1. This chip antenna is made of ceramic materials which are relatively more rigid and brittle compared to circuit board materials. Furthermore, the length of this antenna is quite long. Bending of circuit board at the locations where chip antenna is mounted may cause the cracking of solder joints or antenna itself.
- 10-2. Punching/cutting of the break-off tab of PCB panel may cause severe bending of the circuit board which may result in cracking of solder joints or chip antenna itself. Therefore break-off tab shall be located away from the installation site of chip antenna.
- 10-3. Be cautious when ultrasonic welding process needs to be used near the locations where chip antennas are installed. Strong ultrasonic vibration received cause the cracking of chip antenna solder joints.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification


DOCUMENT NO.

H2UC4W1H2D0300

11. Packing

- (1) Quantity/Reel: 5000 pcs/Reel
- (2) Plastic tape:


a. Tape Drawing



b. Tape Dimensions (unit: mm)

Feature	Specifications	Tolerances		
W	12.00	±0.30		
Р	4.00	±0.10		
E	1.75	±0.10		
F	5.50	±0.10		
P2	2.00	±0.10		
D	1.50	+0.10		
D	1.30	-0.00		
Po	4.00	±0.10		
10Po	40.00	±0.20		

c. Reel Drawing





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.


H2UC4W1H2D0300



PAGE 20 **OF** 24

e. Drawing of large size carton in developed view 405±5 247±5 405±5 247±5 405±5 247±5 405±5 247±5 405±5 247±5 405±5 247±5 405±5

f. Picture of label



Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

g. Reel with label



h. Small size carton with label



Unictron Technologies Corp.

2020-07-08



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by: Ken Checked by : Mike Approved by : Herbert


DOCUMENT TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification NO.

H2UC4W1H2D0300

i. Middle size carton with label




11-2. Process of packing



1 reel includes 5,000pcs(max.) chip antennas

1 small size carton includes 2pcs(max.) reels



1 middle size carton includes 5pcs(max.) small catons

1 large size carton includes 2pcs(max.) middle cartons

Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Ken Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300

12. Operating & Storage Conditions

12-1. Operating

(1) Maximum Input Power: 2 W

(2) Operating Temperature: -40°C to 85°C

12-2. Storage

(1) Storage Temperature: -5° C to 40° C

(2) Relative Humidity: 20% to 70%

(3) Shelf Life: 1 year

13. Notice

(1) Installation Guide:

Please refer to Unictron's application note "General guidelines for the installation of Unictron's chip antennas" for further information.

(2) All specifications are subject to change without notice.

Unictron
T echnologies Corp.

2020-07-08

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by: Jane Designed by: Ken Checked by: Mike Approved by: Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) GPS & WiFi (2.4 & 5 GHz) Triple-Band Ceramic Chip Antenna (AA099) Engineering Specification

DOCUMENT NO.

H2UC4W1H2D0300