


# ELFD SERIES PART NUMBERING SCHEME

| REV | ECN  | APPD        |
|-----|------|-------------|
| -   | 3741 | JEC 4/21/99 |
| A   | 3865 | JC 11/9/99  |
| B   | 5354 | JT 11/10/03 |
| C   | 5742 | RN 12/28/05 |



CONSULT PCD FOR PART NO. AND AVAILABILITY OF FOLLOWING OPTIONS:

- CUSTOM COLORS
- CUSTOM MARKING
- CUSTOM KEYING
- SELECTIVE CONTACT LOADING

**RU**  
RATINGS

CURRENT - 15A  
VOLTAGE - 300V  
U.L. FILE NO. EB3421

**SP**  
RATINGS

CURRENT - 15A  
VOLTAGE - 300V  
CSA FILE NO. LR69703


DIN VDE 0627:1986  
DIN VDE 0110-1:1989  
EN 60947-1:1991  
EN 60947-7-1:1992

CURRENT - 15A  
VOLTAGE - 300 V  
TUV FILE NO. 20396


**MATERIALS:**  
HOUSING: PBT, UL 94 V-0; STANDARD TEMP.  
CONTACT: BRASS

**MAX OPERATING TEMPERATURE:**  
105°C

|  |   |                       |  |             |  |              |  |
|--|---|-----------------------|--|-------------|--|--------------|--|
| <b>DIMENSIONS</b><br>ANSI Y14.5M<br>UNITS: INCHES<br>ACAD FILE | <b>TOLERANCES</b><br>.XX ±.01<br>.XXX ±.005<br>ANGLES ±2°   | <b>PROJECTION</b><br> | <b>Amphenol Pcd</b><br>SPECIFICATION DRAWING |             | <b>TITLE</b><br>ELFD SERIES 2-TIER<br>STACKABLE HEADER<br>MODULE |              |  |
|  |   |                       | ENGR<br>J. WILKINSON      4/19/99            |             |  |              |  |
| ORIGINAL<br>STAMPED<br>IN RED                                  | THIS DOCUMENT CONTAINS<br>PROPRIETARY INFORMATION WHICH<br>IS THE CONFIDENTIAL PROPERTY<br>OF AMPHENOL PCD INC. PEABODY, MA |                       | CHKD<br>A. PATRIE      4/21/99               | SIZE<br>A   | DWG NO.<br>ELFD04260   | REV<br>C     |  |
|  |   |                       | APPD<br>J. CAHALY      4/21/99               | CODE: 58982 | SCALE: NONE  | SHEET 1 OF 2 |  |




**ELFD04XX0**  
4 POS HDR





**ELFD06XX0**  
6 POS HDR

L=NUM OF POS X CL SPACING

VERTICAL




RIGHT ANGLE



**ELFDXX260**  
ELFD ASSEMBLY, XX POSITIONS

PRINTED CIRCUIT BOARD CONFIGURATION



RECOMMENDED PCB THICKNESS: .062±.008

| SIZE        | DWG NO.     | REV          |
|-------------|-------------|--------------|
| A           | ELFD04260   | C            |
| CODE: 58982 | SCALE: NONE | SHEET 2 OF 2 |