

## **Specification Sheet**

Part Number: 558-00500

USB connection allows for each installation with no programming or drivers to install.

Scanner provides an audible beep when successfully scanning a barcode, confirming that the data was received.

Durable for use in industrial environments.

Ergonomically designed for ease of use with the left or right hand.



Bar Code Wand Scanner, USB Connection, Blue, 1/pkg

Article Number 558-00500

Type BCWMS100U

Color Brown (BN)

Quantity Per EA

Product Description Thermal Transfer Printing Systems are designed to work flawlessly with

HellermannTyton Tagprint Pro label printing software. The printers are durable and designed for high-volume, industrial-grade printing in a

wide variety of working environments.

Short Description Bar Code Wand Scanner, USB Connection, Blue, 1/pkg

Global Part Name BCWMS100U-PL-BN

Length L (Imperial)	5.5
Length L (Metric)	140
Width W (Imperial)	1.2
Width W (Metric)	30
Height H (Imperial)	1.2
Height H (Metric)	30
Material	Plastic (PL)
Material Material Shortcut	Plastic (PL)
Material Shortcut	PL
Material Shortcut  UV Resistant (Yes/No)	PL No
Material Shortcut  UV Resistant (Yes/No)  Operating Temperature	PL  No  +40°F to +104°F (+4°C to +40°C)
Material Shortcut  UV Resistant (Yes/No)  Operating Temperature  Reach Compliant (Article 33)	PL  No  +40°F to +104°F (+4°C to +40°C)  No

1

Package Quantity (Metric)

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions