


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	OWN	APVD
CE	16	D	ECR-14-011637	22AUG2014	HZ RZ

1. MAXIMUM CABLE ASSEMBLY LOSS IS 1.0dB.
2. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE STANDARD TEC-138-702.



6457048-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.S.VASU 15SEP05	<b>STE</b> TE Connectivity	
DIMENSIONS: METERS [INCHES]		CHK J.DUNCAN 15SEP05		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.DUNCAN 15SEP05	NAME LC LOOPBACK, FIBER OPTIC, 62.5/125 MULTIMODE	
0 PLC ± -		PRODUCT SPEC	-	
1 PLC ± -		APPLICATION SPEC	-	
2 PLC ± -		WEIGHT	-	
3 PLC ± -		CUSTOMER DRAWING	-	
4 PLC ± -		SCALE	NTS	
ANGLES ± -		SIZE	A2	
FINISH		CAGE CODE	00779	
MATERIAL		DRAWING NO	C-6457048	
-		RESTRICTED TO	-	
-		SHEET	1 of 1	
-		REV	D	