



(images/product/es92570.jpg)

EMAX ES9257 2.5kg/ .05 sec Micro Digital 3D Tail Servo

SKU: 108090002



WIO LINK is LIVE at Kickstarter!

(https://www.kickstarter.com/projects/seeed/wio-link-3-steps-5-minutes-build-your-iot-applicat/description?ref=banner_depot)

Description

SERVO (ES9257) SERIES	
SERVO ES9257 SPECIFICATIONS	
Operating Voltage:	4.8V
STD Direction:	Counter Clockwise / Pulse Traveling 1500 to 1900usec
Stall Torque: 4.8V	2.5Kgf.cm
Operating Speed: 4.8V	0.08 Sec/60° at no load
Size:	34.95X30.1X14.9 mm
Weight:	20 g
Plug Available	FUT ;JR
Other	Bearing Digital

Note: This servo is recommended to use at 4.8V. (damage under higher voltage is not covered by warranty)

Kit Include: 1 x digital servo with servo horns

Overview



(<http://www.seedstudio.com/depot/Robotics-t-4.html?ref=pinfo>)

Designer:

Others

Other Products



(<http://www.seeedstudio.com/depot/Shenzhen-2U-t-11.html?ref=pinfo>)

From This
Designer



(<http://www.seeedstudio.com/depot/Maker-Pro-t-1672.html?ref=pinfo>)

(<http://www.seeedstudio.com/depot/Others-m-24.html?ref=pinfo>)

Weight: 25 g