

Data sheet | Item number: 890-304

Mounting carrier; 4-pole; for sockets and plugs; Plastic; gray

www.wago.com/890-304



Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Item description

Mounting accessories WINSTA® MINI 4-pole

The mounting accessories from the WINSTA® MINI product line guarantees you the maximum flexibility in electrical installation. With WAGO, you get enjoy the advantages of a large selection of accessories for the WINSTA® product line. Due to its particularly small dimensions, our WINSTA® MINI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology is especially suitable in very tight spaces, i.e., for connections when very little room is available.

WINSTA® MINI solutions for your electrical installation – protected against mismatching and maintenance-free

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Now you can also lower installation expenses without compromising safety and quality: with protection against mismatching reduces the need for servicing and prevents unnecessary downtime.

- compact design for conductors with a cross-section up to 1.5 mm²
- fast, secure installation

Data

Connection data

Connection 1

Pole number	4
-------------	---

Mechanical Data

Suitable	for socket and plug
----------	---------------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
-------	------

Insulation material	Polyamide (PA66)
---------------------	------------------

Subject to changes. Please also observe the further product documentation!



Flammability class per UL94	V0
Fire load	0.02 MJ
Weight	0.7 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (50) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143838566
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

890-304 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
890-304 doc - Datei	2015 年3月16 日	doc 24.1 kB	Download

CAD/CAE-Data

CAD data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



2D/3D Models 890-304

[URL](#)

[Download](#)

CAE data

ZUKEN Portal 890-304

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 890-304

[URL](#)

[Download](#)

Mounting carrier; 4-pole; for sockets and plugs; Plastic; gray

Installation Notes

Product family

WINSTA® MINI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.