

RC-12S2N12YR00 - Device connector, front mounting with knurled nut



1599995

<https://www.phoenixcontact.com/us/products/1599995>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Device connector, front mounting with knurled nut, series: RC, straight, shielded: yes, Screw locking mechanism, No. of pos.: 12, Direction of rotation: Counter direction, contact connection type: Socket, Solder cup, Radial O-ring, 4x Ø 3.2, coding: N

Commercial data

Item number	1599995
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	AB31
Product key	ABRAFO
GTIN	4046356228114
Weight per piece (including packing)	55.99 g
Weight per piece (excluding packing)	49.28 g
Customs tariff number	85366990
Country of origin	DE

RC-12S2N12YR00 - Device connector, front mounting with knurled nut



1599995

<https://www.phoenixcontact.com/us/products/1599995>

Technical data

Product properties

Product type	Circular connectors (device side)
--------------	-----------------------------------

Connector

Insulating body

Coding	N
Insertion/withdrawal cycles	50
Connection method	Solder cup
Contact switching type	Socket
Application	Signal
Number of positions	12
Direction of rotation	Counter direction
Connection profile	12
Contact diameter Power contacts	1 mm
Litz wire cross-section Power contacts min.	0.08 mm ²
Litz wire cross-section Power contacts max.	1 mm ²
Rated current Power contacts	8 A
Rated voltage	48 V AC 74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

Housing

Order information:	Order contact inserts separately
Housing material	Metal
Type of locking	Screw locking mechanism
Pg screw connection	none
Degree of protection (plugged in)	IP67
Thread type	M23

RC-12S2N12YR00 - Device connector, front mounting with knurled nut




1599995

<https://www.phoenixcontact.com/us/products/1599995>

Drawings

Schematic diagram



RC-12S2N12YR00 - Device connector, front mounting with knurled nut



1599995

<https://www.phoenixcontact.com/us/products/1599995>

Classifications

ECLASS

ECLASS-11.0	27440102
-------------	----------

ETIM

ETIM 7.0	EC002635
----------	----------

UNSPSC

UNSPSC 21.0	39121413
-------------	----------

RC-12S2N12YR00 - Device connector, front mounting with knurled nut



1599995

<https://www.phoenixcontact.com/us/products/1599995>

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

RC-12S2N12YR00 - Device connector, front mounting with knurled nut



1599995

<https://www.phoenixcontact.com/us/products/1599995>

Accessories

RC-Z2062 - Metal protective cap

1604228

<https://www.phoenixcontact.com/us/products/1604228>

Metal protective cap, M23, degree of protection: IP67, series: RC, Alternative product in accordance with RoHS II without Exemption 6c (Pb <0.1%) item no.: 1241732



Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com