

Data sheet

28334.8 PVCF-CPMFA K 10X105 YE



Terminal marker, Length: 135 mm, Width: 50 mm, Colour: Yellow

RAL: 1026

Business data

Article number	28334.8
Article name	PVCF-CPMFA K 10X105 YE
GTIN (EAN)	4044211212636
Packaging unit	100
Quantity unit	PC
Number of markers per card	2 ST
Weight per piece (not including packaging)	2 g
Weight per piece (including packaging)	2 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28334.7
Product description	Terminal marker

28334.8 PVCF-CPMFA K 10X105 YE

Technical data

Dimensions

Length	135 mm
Length of labelling field	50 mm
Width	50 mm
Width of labelling field	50 mm

Connection data

Outer diameter of insulation, min.	20 mm
Max. outer diameter of insulation	25 mm

Materials

Marker material	PVC film
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	70 °C
Silicone-free	✓

Further technical data

Software code	312
---------------	-----

Environmental Product Compliance

REACH Candidate Substance Note	No
--------------------------------	----

Media

Data sheet

28334.8 PVCF-CPMFA K 10X105 YE



Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST