



MATERIAL: COPPER
 .031" NOM. THICKNESS
 FINISH: ELECTRO-TIN PLATING

MWID= MAX. WIRE INSULATION DIA.
 PART NUMBERS ARE FOR LOOSE PIECE TO ORDER PARTS ON TAPE ADD A "T" TO END OF PART NUMBER

MATERIAL NO.	ENGR NO.	WIRE RANGE AWG	DIAMETER "D"	MAX. "L"	±.01 "B"	MWID	MIN. I.D.			INSULATION
190340002	A-259X	22-18	.180	.950	.450	.145	.056			PVC
190340005	A-269X	22-18	.156	.890	.450	.145	.056			PVC
190340007	B-279X	16-14	.180	.950	.450	.175	.084			PVC
190340009	B-289X	16-14	.156	.890	.450	.175	.084			PVC

REMOVED TAPE PARTS

EC NO:	2005/04/27
DRWN:LSHADECK	2005/05/04
CHKDR:DEROSS	2005/05/04
APPR:RDEROSS	2005/05/04

DESCRIPTION	
REV	A

QUALITY SYMBOLS	$\nabla=0$ $\nabla=0$																		
GENERAL TOLERANCES (UNLESS SPECIFIED)	<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>ANGULAR</td> <td colspan="2">± ---°</td> </tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	ANGULAR	± ---°	
	mm	INCH																	
4 PLACES	± ---	± ---																	
3 PLACES	± ---	± ---																	
2 PLACES	± ---	± ---																	
1 PLACE	± ---	± ---																	
ANGULAR	± ---°																		
DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS																		

DIMENSION STYLE		IN/MM
DRAWN BY	DATE	TITLE
EMF	07/30/93	INSULKRIMP MALE BULLET SNAP PLUG
CHECKED BY	DATE	
JM	07/30/93	MOLLEX INCORPORATED
APPROVED BY	DATE	
FP	07/30/93	

SCALE	5:1	DESIGN UNITS	INCH	THIRD ANGLE PROJECTION
MATERIAL NO.	SEE TABLE	DOCUMENT NO.	SD-19034-004	SHEET NO.
SIZE	B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		