






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	2016/05/30	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2016/09/05			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2016/09/05			product family	PwrBlade+	rel level	Released
surface	linear	0.X	±0.5	<b>Amphenol FCI</b> www.fci.com	2HDP + 6LP RA STB PLUG		dwg no	10106262-2600001	rev	A
		0.XX	±0.25		cat. no.	Product - Customer Drw	sheet 1 of 3			
ASME Y14.5	angular	0°	±2°		PDS: Rev :A	STATUS:Released	Printed: Sep 05, 2016			

PRODUCT NO.	ROWS	HP			LOW POWER					E2
		E1	P1	P2	P3	P4	P5	P6	P7	
10106262-2600001LF	D C B A	H1	X	LK	LK	LK	LK	LK	LK	LK



Amphenol  
FCi

© 2016 AFCI

CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
X	OMITTED

spec ref	*
tolerance std	ASME Y14.5
TOLERANCES UNLESS OTHERWISE SPECIFIED	
surface	linear
	angular

dr	Rainbow Zhan	2016/05/30
eng	Rainbow Zhan	2016/09/05
chr	Fancy Zhang	2016/09/05
appr	Pei-Ming Zheng	2016/09/05
<b>Amphenol FCI</b> www.fci.com		

projection	MM	size	A3	scale	3:2
product family	PwrBlade+	rel level	Released		
dwg no	10106262-2600001			rev	A
Product - Customer Drw			sheet 2 of 3		

NOTES:

- 1) PRODUCT MARK:  
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.  
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.  
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN  
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THE HOUSING WILL WITHSTAND EXPOSURE TO 265 °C PEAK TEMPERATURE  
FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- 9) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY  
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 10) PRODUCT SPECIFICATION : GS-12-658.  
APPLICATION SPECIFICATION : GS-20-141.  
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

Amphenol  
FCi

© 2016 AFCI

spec ref *		dr	Rainbow Zhan	2016/05/30	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED					ecn no		-		
ASME Y14.5		eng	Rainbow Zhan	2016/09/05			rel level		Released		
ASME Y14.5		chr	Fancy Zhang	2016/09/05			product family		PwrBlade+		
surface	linear	0.X	±0.5			cat. no.		2HDP + 6LP		dwg no 10106262-2600001	rev A
		0.XX	±0.25			Product - Customer Drw		sheet 3 of 3			
		0.XXX	±0.10			www.fci.com					
ASME Y14.5	angular	0°	±2°								