



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
FT	0	F1	REVISED PER ECO-11-005027	11MAR11	RK	HMR	


- MATES WITH MATE-N-LOK II PLUG CONNECTOR USING P/N 193797-1 SOCKET CONTACTS.
- ALL DIMENSIONS ARE REFERENCE ONLY EXCEPT P.C. LAYOUT.



HOUSING MATERIAL:  
 NYLON 94V-0



CONTACT MATERIAL:  
 COPPER ALLOY  
 FINISH: 200 uIN MIN SILVER  
 OVER 40 uIN MIN NICKEL



RECOMMENDED LAYOUT FOR  
 1.57 [.062] THICK P.C. BOARD

.145	GREEN	194010-3
.275	WHITE	194010-2
.145	WHITE	194010-1
DIM A	COLOR	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	CMS	26/SEP/94	<b>TE</b> TE Connectivity		
DIMENSIONS: INCHES		CHK	-	26/SEP/94			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-	26/SEP/94	NAME		
0 PLC ± -		PRODUCT SPEC		HIGH CURRENT VERT. PIN HEADER ASSY, MATE-NLOK II, 4 CIRCUIT			
1 PLC ± -		APPLICATION SPEC		-			
2 PLC ± -		MATERIAL		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ± -		FINISH		A2	00779	C=194010	-
4 PLC ± -		MATERIAL		CUSTOMER DRAWING		SCALE	SHEET
ANGLES ± -		MATERIAL		CUSTOMER DRAWING		NTS	1 of 1
FINISH		MATERIAL		CUSTOMER DRAWING		REV	F1