

#### Positive Lock | Positive Lock 250

TE Internal #: 1717268-1


Insulation Boots & Sleeves, Insulation Sleeve, Flag, PVC, Blue, Bag,

-40 – 221 °F [-40 – 105 °C], Positive Lock 250

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: Insulation Sleeve

Terminal Orientation: Flag
Primary Product Material: PVC
Primary Product Color: Blue
Packaging Method: Bag

## **Features**

## Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Sleeve
Configuration Features	
Number of Positions	1
Body Features	
Primary Product Material	PVC
Primary Product Color	Blue
Contact Features	
Accepts Terminal Style	Receptacle
Terminal Orientation	Flag
Dimensions	
Product Length	17.2 mm[.677 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]



UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts





## Also in the Series | Positive Lock 250








Crimp Terminal Housings(193)




Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(4)



# Customers Also Bought























## **Documents**

## **Product Drawings**

PL EX 250 INSULATED FLAG REC PVC V-0

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1717268-1\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1717268-1\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1717268-1\_O.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.