



PRODUCT NUMBER

SEE TABLE






mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection	product family PV TERMINALS	
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title	
C	V61312	EPK	1996-11-06	angles	XX +.01/XX+3		scale 5:1	MINI PV™ RECEPTACLE SPOT O'GOLD™ C.T.W.
D	V05-0268	HTB	2005-03-30		XXX +.005/XX+13	FCI		dwg no
E	V06-0218	HTB	2006-03-07	0° ±2'	XXXX +.0020/XXX+.051		sheet 1 of 2	size
F	V06-0624	HTB	2006-06-30	dr	E. KROPIEWNICK	1996-11-06		75691
G	V08-0116	HTB	2008-04-07	enfr	T. BREWBAKER		1996-11-06	A4
H	V12-0051	DCH	2012-11-27	chr	T. BREWBAKER	1996-11-06		type
				appd	T. BREWBAKER		CUSTOMER Drawing	
sheet index	revision sheet	H	H					
		1	2					

PRODUCT NUMBER		SPRING	AWG RANGE	DIM A
REELED	LOOSE PIECE	"H" THK.		
O B S O L E T E				
75691-001	75691-010			
75691-001LF	75691-010LF	.0035/0.089	18-20	.120/3.05
O B S O L E T E				
75691-002	75691-011			
75691-002LF	75691-011LF	.0035/0.089	18-20	.120/3.05
O B S O L E T E				
75691-003	75691-012			
75691-003LF	75691-012LF	.0065/0.165	18-20	.120/3.05
O B S O L E T E				
75691-004	75691-013			
75691-004LF	75691-013LF	.0035/0.089	22-26	.120/3.05
O B S O L E T E				
75691-005	75691-014			
75691-005LF	75691-014LF	.0050/0.130	22-26	.120/3.05
O B S O L E T E				
75691-006	75691-015			
75691-006LF	75691-015LF	.0065/0.165	22-26	.120/3.05
O B S O L E T E				
75691-007	75691-016			
75691-007LF	75691-016LF	.0035/0.089	28-32	.120/3.05
O B S O L E T E				
75691-008	75691-017			
75691-008LF	75691-017LF	.0050/0.130	28-32	.120/3.05
O B S O L E T E				
75691-009	75691-018			
75691-009LF	75691-018LF	.0065/0.165	28-32	.120/3.05
O B S O L E T E				
75691-019	75691-028			
75691-019LF	75691-028LF	.0035/0.089	18-20	.105/2.67
O B S O L E T E				
75691-020	75691-029			
75691-020LF	75691-029LF	.0050/0.130	18-20	.105/2.67
O B S O L E T E				
75691-021	75691-030			
75691-021LF	75691-030LF	.0065/0.165	18-20	.105/2.67
O B S O L E T E				
75691-022	75691-031			
75691-022LF	75691-031LF	.0035/0.089	22-26	.105/2.67
O B S O L E T E				
75691-023	75691-032			
75691-023LF	75691-032LF	.0050/0.130	22-26	.105/2.67
O B S O L E T E				
75691-024	75691-033			
75691-024LF	75691-033LF	.0065/0.165	22-26	.105/2.67
O B S O L E T E				
75691-025	75691-034			
75691-025LF	75691-034LF	.0035/0.089	28-32	.105/2.67
O B S O L E T E				
75691-026	75691-035			
75691-026LF	75691-035LF	.0050/0.130	28-32	.105/2.67
O B S O L E T E				
75691-027	75691-036			
75691-027LF	75691-036LF	.0050/0.130	28-32	.105/2.67

NOTES :

- ① BODY MATERIAL: 1/4 HARD CuNi ALLOY UNS C72500  
UNS C72500, MILL FINISH.  
SPRING MATERIAL: BeCu HEAT TREATED, GOLD FLASHED
2. PART TO MATE WITH .025 ±.001/0.64 ±0.02 PIN.
3. APPLICATION SPECIFICATIONS :  
A. BUS-12-099 , PRODUCT SPEC.  
B. TA-75 , CRIMP METHODS FOR USE IN MINI LATCH HSG.  
C. TA-210 , CRIMP METHODS FOR USE IN MINI ROD HSG.
4. TAB CUTOFF DIM IS VERY CRITICAL WHEN USED IN CONJUNCTION WITH MINI ROD HOUSING.
- ⑤ ADD AN "LF" SUFFIX TO PART NUMBERS FOR PRODUCT THAT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
6. THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDERING PROCESSES.

mat'l. code		surface		tolerance		projection		product family	
SEE NOTE 1		✓						PV TERMINALS	
ltr	ecn no	dr	date	tolerances unless otherwise specified				title	
H				angles	.XX +.01/X+3 .XXX +.005/XX+13 .XXX +.0020/XXX+.051	INCH/MM scale 5:1		MINI PV™ RECEPTACLE SPOT O'GOLD™ C.T.W.	
				dr	T. BREWBAKER	2006-03-07		dwg no	
				engr	T. BREWBAKER	2006-03-07		sheet 2 of 2	
				chr	T. BREWBAKER	2006-03-07		size	
				appd	T. BREWBAKER	2006-03-07		A4	
sheet index		revision sheet						type	
								CUSTOMER Drawing	