


NOTE:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL 94V-0
2. FINISH: SELECTIVE GOLD (Au) 0.76 MICROMETERS MINIMUM IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) OVERALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-75221-999 FOR PERFORMANCE SPECIFICATIONS.
4. POSITION OF TAILS TO BE INSPECTED USING TAIL TEMPLATE P/N 74047-0082.
5. PARTS TO BE PACKAGED PER PK-70873-564. QUANTITY PER TRAY POCKET: 12 TOTAL QUANTITY PER TRAY: 72
6. MARK LABEL WITH PART NUMBER AND DATE CODE.
7. ASSEMBLE MODULES TO STIFFENER PER DRAWING E-75226-003.
8. LABEL MAY BE REPLACED BY LASER MARKINGS ON THE STIFFENER.
9. THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002.
10. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.





LEAD-FREE PLATING

ITEM	PART NUMBER	DESCRIPTION	QTY
1	75226-0023	STIFFENER	1
2	75227-5014	ESD GROUND MODULE, KEY="NONE"	1
3	73726-0000	GROUND MODULE MNTG SCREW	1
4	75292-4060	POWER MODULE - GBX 4 PAIR, LF	2
5	75228-1004	END CAP WITH PEGS	2



CUSTOMER: GAINSPEED

INITIAL RELEASE EC NO: UCP2014-1858 DRWNS:SVANG01 CHKD:MWOLFE APPR:SMILLER	2014/01/06 2014/01/06 2014/01/16	DESCRIPTION REVISIONS	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
				mm INCH	MM ONLY	2:1	METRIC	
			▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE	TITLE		
			▽=0	3 PLACES ± --- ± ---	SVANG01 2014/01/06	GBX 4 PAIR CUSTOM DAUGHTERCARD, LF ASSEMBLY DRAWING		
▽=0	2 PLACES ± 0.05 ± ---	CHECKED BY DATE						
	1 PLACE ± 0.13 ± ---	MWOLFE 2014/01/06						
	0 PLACE ± ±	APPROVED BY DATE						
		SMILLER 2014/01/16						
		MATERIAL NO.						
		75220-0336						
		DOCUMENT NO.						
		E-75220-0336						
		SHEET NO.						
		1 OF 1						
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX. INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



NOTE:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL 94V-0
2. FINISH: SELECTIVE GOLD (Au) 0.76 MICROMETERS MINIMUM IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) OVERALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-75221-999 FOR PERFORMANCE SPECIFICATIONS.
4. POSITION OF TAILS TO BE INSPECTED USING TAIL TEMPLATE P/N 74047-0082.
5. PARTS TO BE PACKAGED PER PK-70873-564. QUANTITY PER TRAY POCKET: 12 TOTAL QUANTITY PER TRAY: 72
6. MARK LABEL WITH PART NUMBER AND DATE CODE.
7. ASSEMBLE MODULES TO STIFFENER PER DRAWING E-75226-003.
8. LABEL MAY BE REPLACED BY LASER MARKINGS ON THE STIFFENER.
9. THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002.
10. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.




LEAD-FREE  
PLATING

ITEM	PART NUMBER	DESCRIPTION	QTY
1	75226-0023	STIFFENER	1
2	75227-5014	ESD GROUND MODULE, KEY="NONE"	1
3	73726-0000	GROUND MODULE MNTG SCREW	1
4	75292-4060	POWER MODULE - GBX 4 PAIR, LF	2
5	75228-1004	END CAP WITH PEGS	2

CUSTOMER: GAINSPEED

INITIAL RELEASE EC NO: UCP2014-1858 DRWNS:SVANG01 2014/01/06 CHKD:MWOLFE 2014/01/06 APPR:SMILLER 2014/01/16	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>2:1</b>	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	2 PLACES ± 0.05 ± ---	1 PLACE ± 0.13 ± ---	0 PLACE ± ±	TITLE <b>GBX 4 PAIR CUSTOM DAUGHTERCARD, LF ASSEMBLY DRAWING</b>		
		ANGULAR ±1/2°		MATERIAL NO. <b>75220-0336</b>		DOCUMENT NO. <b>E-75220-0336</b>			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		SHEET NO. 1 OF 1			







NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL 94V-0
2. FINISH: SELECTIVE GOLD (Au) 0.76 MICROMETERS MINIMUM IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) OVERALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-75221-999 FOR PERFORMANCE SPECIFICATIONS.
4. REFER TO MOLEX DOCUMENT SD-75292-001 FOR ADDITIONAL DETAIL ON THE GBX 4 PAIR POWER MODULE.
5. REFER TO MOLEX DOCUMENT SD-75227-001 FOR ADDITIONAL DETAIL ON THE GBX 4 PAIR GROUND MODULE.
6. REFER TO MOLEX DOCUMENT SD-75228-001 FOR ADDITIONAL DETAIL ON THE GBX 4 PAIR END CAP.
7. PARTS ARE TO BE PACKAGED IN TRAYS PER PK-70873-564. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.
8. THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002.
9. MARK LABEL WITH PART NUMBER AND DATE CODE. LABEL MAY BE REPLACED BY LASER MARKINGS ON THE STIFFENER.

LEAD-FREE  
PLATING


ITEM	PART NUMBER	DESCRIPTION	QTY
1	75226-0023	STIFFENER	1
2	75227-5014	ESD GROUND MODULE, KEY="NONE"	1
3	73726-0000	GROUND MODULE MNTG SCREW	1
4	75292-4060	POWER MODULE - GBX 4 PAIR, LF	2
5	75228-1004	END CAP WITH PEGS	2



DAUGHTERCARD HOLE PATTERN  
(CONNECTOR SIDE)




CUSTOMER: GAINSPPEED

INITIAL RELEASE EC NO: UCP2014-1858 DRWNS:VANG01 2014/01/06 CHKD:MWOLFE 2014/01/06 APPR:SMILLER 2014/01/16 REY:	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>2:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	2 PLACES ± 0.13 ± ---	1 PLACE ± 0.25 ± ---	0 PLACE ± ±	TITLE <b>GBX 4 PAIR CUSTOM DAUGHTERCARD, LF SALES DRAWING</b>		
		ANGULAR ±1/2°		MATERIAL NO. <b>75220-0336</b>		DOCUMENT NO. <b>RSD-75220-0336</b>		SHEET NO. <b>1 OF 1</b>	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX. INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL 94V-0
2. FINISH: SELECTIVE GOLD (Au) 0.76 MICROMETERS MINIMUM IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) OVERALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-75221-999 FOR PERFORMANCE SPECIFICATIONS.
4. REFER TO MOLEX DOCUMENT SD-75292-001 FOR ADDITIONAL DETAIL ON THE GBX 4 PAIR POWER MODULE.
5. REFER TO MOLEX DOCUMENT SD-75227-001 FOR ADDITIONAL DETAIL ON THE GBX 4 PAIR GROUND MODULE.
6. REFER TO MOLEX DOCUMENT SD-75228-001 FOR ADDITIONAL DETAIL ON THE GBX 4 PAIR END CAP.
7. PARTS ARE TO BE PACKAGED IN TRAYS PER PK-70873-564. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.
8. THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002.
9. MARK LABEL WITH PART NUMBER AND DATE CODE. LABEL MAY BE REPLACED BY LASER MARKINGS ON THE STIFFENER.



LEAD-FREE  
PLATING

ITEM	PART NUMBER	DESCRIPTION	QTY
1	75226-0023	STIFFENER	1
2	75227-5014	ESD GROUND MODULE, KEY="NONE"	1
3	73726-0000	GROUND MODULE MNTG SCREW	1
4	75292-4060	POWER MODULE - GBX 4 PAIR, LF	2
5	75228-1004	END CAP WITH PEGS	2



DAUGHTERCARD HOLE PATTERN  
(CONNECTOR SIDE)

CUSTOMER: GAINSPEED

INITIAL RELEASE EC NO: UCP2014-1858 DRWNS:VANG01 2014/01/06 CHKD:MWOLFE 2014/01/06 APPR:SMILLER 2014/01/16 REY:	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>2:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	mm INCH DRAWN BY DATE SVANG01 2014/01/06 CHECKED BY DATE MWOLFE 2014/01/06 APPROVED BY DATE SMILLER 2014/01/16	TITLE <b>GBX 4 PAIR CUSTOM DAUGHTERCARD, LF SALES DRAWING</b>		MATERIAL NO. <b>75220-0336</b>	DOCUMENT NO. <b>RSD-75220-0336</b>
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX. INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			