



**Data sheet | Item number: 216-414**

Ferrule; Sleeve for 35 mm<sup>2</sup> / AWG 2; uninsulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 1/08.92; silver-colored



[www.wago.com/216-414](http://www.wago.com/216-414)



Color:

**Data**

**Technical data**

Main product function	Ferrule
Sleeve cross-section (AWG)	2 AWG

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Sleeve for	35 mm <sup>2</sup>
------------	--------------------

### Connection data

Strip length	25 mm / 0.98 inches
--------------	---------------------

### Physical data

Length	25 mm
--------	-------

Diameter	11 mm
----------	-------

Diameter crimp sleeve inside	8.3 mm
------------------------------	--------

### Material Data

Color	silver-colored
-------	----------------

Weight	1.3 g
--------	-------

### Commercial data

Product Group	2 (Terminal Block Accessories)
---------------	--------------------------------

eCl@ss 10.0	27-40-02-01
-------------	-------------

eCl@ss 9.0	27-40-02-01
------------	-------------

ETIM 8.0	EC000005
----------	----------

ETIM 7.0	EC000005
----------	----------

PU (SPU)	50 pcs
----------	--------

Packaging type	box
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4050821134183
------	---------------

Customs tariff number	85369010000
-----------------------	-------------

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Downloads

#### Documentation

##### Bid Text

216-414 X81 - Datei	2019 年2月19 日	xml 2.8 kB	Download
------------------------	--------------	---------------	----------

216-414	2017 年9月11 日	doc	Download
---------	--------------	-----	----------

Subject to changes. Please also observe the further product documentation!

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 216-414

[URL](#)

[Download](#)

Ferrule; Sleeve for 35 mm<sup>2</sup> / AWG 2; uninsulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 1/08.92; silver-colored

## Installation Notes



A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!