



TE Internal #: 160336-2


Ring Terminals & Spade Terminals, Ring Tongue, 12 – 10 AWG

Wire Size, 3.1 – 5.3 mm² Wire Size, 6530 – 10383 CMA Wire Size,

Stud Size 5/16 / M8

[View on TE.com >](#)

Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**

Wire Size: **6530 – 10383 CMA**

Stud Size: **5/16, M8**

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	5/16, M8
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	1.651 g
----------------	---------

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.15 in
Wire Size	6530 – 10383 CMA
Stud Diameter	8.3 mm[.327 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	25.4 mm[1 in]
Barrel Inside Diameter	2.66 mm, 4.44 mm[.105 in][.175 in]
Compatible Insulation Diameter (Max)	5.31 mm[.209 in]
Compatible Insulation Diameter Range	3.8 – 5.3 mm[.15 – .209 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Method	Strip/Reel
------------------	------------

Other

Terminals & Splices Comment	Splice Free
-----------------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 280268-2
RING TONGUE 4-6MM2 0.0276X0.650 TPBR

TE Part # 280267-2
COSSE RONDE 12 10

TE Part # 2-2150066-2
OCEAN_2.0_Applicator-E-180F250F

TE Part # 2150066-2
OCEAN_2.0_Applicator-E-180F250F

TE Part # 280261-2
OPEN BARREL RINGTON

TE Part # 7-2150066-2
OCEAN_2.0_Applicator-E-180F250F

TE Part # 7-2150066-7
OCEAN_2.0_SPARE_PART_KIT-180F250F


Customers Also Bought

TE Part #5100141-1
2MM H.M. TYPE "B" PIN ASSY.

TE Part #1-962340-1
4P FLACHSTCK GEH2,8

TE Part #42752-2
RING CRIMP 16-14 AWG TPBR

TE Part #62691-2
RING 12-10 AWG TPBR



Documents

Product Drawings

[RING TONGUE IS 12-10 0.295 X .650 TPBR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_160336-2_L.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160336-2_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160336-2_L.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English

[Product Specification](#)

English

[Product Specification](#)

English

Product Environmental Compliance



[Product Compliance Document](#)

English

[Product Compliance Document](#)

English