2-2176186-0 - ACTIVE

Neohm | Neohm CRGH TE Internal #: 2-2176186-0 4.7K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±100 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, Neohm CRGH

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: **Power Resistor** Number of Terminations: **2** Package Size Code: **1206** Packaging Method: **Taped & Reeled** Passive Component Tolerance: **1%**

Features

Product Type Features

Product Type	Fixed Resistor
Resistor Type	Power Resistor
Package Size Code	1206
Element Type	Thick Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	200 V
Passive Component Tolerance	1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	4.7ΚΩ
Power Rating	.5 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	3.1 x 1.55 x .55 mm
Usage Conditions	

C For support call+1 800 522 6752

2-2176186-0

4.7K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±100 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, Neohm CRGH



Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




2-2176186-0

4.7K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±100 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, Neohm CRGH





Also in the Series | Neohm CRGH



Customers Also Bought



Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2-2176186-0_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2176186-0_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2176186-0_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

2-2176186-0

4.7K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, .5 W, ±100 ppm/°C, Solder, 3.1 x 1.55 x .55 mm, Neohm CRGH



High Power Thick Film Chip Resistors

English