



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules

Crimp Wire Terminal Type: **Pin**Mating Pin Diameter: **3.2 mm [.126 in]**Compatible Insulation Diameter Range: **2.5 – 3.8 mm, 3.8 mm [.1 – .15 in, .15 in]**Wire Size: **1 – 2.5 mm²**

Features

Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Pin
Mating Pin Diameter	3.2 mm[.126 in]
Barrel Type	Open
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	2.5 – 3.8 mm, 3.8 mm[.1 – .15 in][.15 in]
Wire Size	2048 – 5178 CMA
Barrel Inside Diameter	2.24 mm, 3.2 mm[.088 in][.126 in]
Terminal Material Thickness	.32 mm[.013 in]
Overall Product Length	10.9 mm[.43 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------



Packaging Features

Packaging Quantity	14000
Packaging Method	Roll

Other

Terminals & Splices Comment	According to DIN 46228, Part 2.
-----------------------------	---------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 926867-2 AM WIRE PIN 13-10 .013 PTPB	TE Part # 2-2150226-1 OCEAN-2.0-APPLICATOR-E-120F155F	TE Part # 2-2150226-2 OCEAN-2.0-APPLICATOR-E-120F155F	TE Part # 2-2150884-1 OC-PA-E-FM-100F130F-001-0339
TE Part # 2-2150884-2 OC-PA-E-FA-100F130F-001-0339	TE Part # 2150226-1 OCEAN-2.0-APPLICATOR-E-120F155F	TE Part # 2150226-2 OCEAN-2.0-APPLICATOR-E-120F155F	TE Part # 2150884-1 OC-AT-E-FM-100F130F-001-0339
TE Part # 2150884-2 OC-AT-E-FA-100F130F-001-0339	TE Part # 7-2150226-1 OCEAN-2.0-APPLICATOR-E-120F155F	TE Part # 7-2150226-2 OCEAN-2.0-APPLICATOR-E-120F155F	TE Part # 7-2150226-7 OCEAN_2.0_SPARE_PART_KIT-120F155F

Customers Also Bought

TE Part #5-160430-7 187 FASTON REC 20-16 AWG TPBR	TE Part #61291-1 RECPT .093 DIA 22-18 PTPPHBRZ	TE Part #926539-5 250 FASTON HSG. REC. 1P BLACK	TE Part #160088-1 RING TONGUE 20-16 AWG 0.198 X .700 BR
TE Part #1-170823-1 110 FASTON SLEEVE,REC., TRANSPARENT,NAT	TE Part #1803706-1 CRIMPER,WIRE F	TE Part #1803706-2 CRIMPER,WIRE F	TE Part #653594-2 ANVIL INSULATION



Documents

Product Drawings

[AM WIRE PIN 17-13 .013 PTPB](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_925553-2_S.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_925553-2_S.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_925553-2_S.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_925553-2_11192014951_dmtec](#)

English

[MD_925553-2_11192014951_dmtec](#)

English