HellermannTyton

Specification Sheet

Part Number: TSRPFW-JB1



TSRP rated boxes can be used for electrical or data outlets. Rubber based foam tape adhesive with high ultimate bond strength, which conforms to any surface.

Single Gang Junction Box, 1-1/4" Deep, PVC, Office White, 1/bg

Article Number 250-60001

Type TSRP-JB1

Color Office White (OEWH)

Quantity Per EA

Product Description Offered in a dual or single gang format, HellermannTyton's low voltage

junction boxes are versatile enough for any network cabling application. Available in varying depths, these boxes are all equipped with concentric knockouts on all four sides for every TSR size of raceway, which eliminates routing and installation inconvenience. All five styles of junction boxes come with adhesive strips for the back of the base, and

also #6 screws to secure the box to the base.

Short Description Single Gang Junction Box, 1-1/4" Deep, PVC, Office White, 1/bg

Global Part Name

TSRP-JB1-PVC-WH

Length L (Imperial)

4.75

Length L (Metric)

120.65

Width W (Imperial)

3.0

Width W (Metric)

76.2

Height H (Imperial)

1.25

Height H (Metric)

31.75

Material

Polyvinylchloride (PVC)

Material Shortcut

PVC

Flammability

UL 94 V-0

Halogen Free

No

UV Resistant (Yes/No)

No

Operating Temperature

+122°F (+50°C)

Reach Compliant (Article 33)

No

ROHS Compliant

Yes

UL Listed (US)

Yes

UL Listed (US)

Yes

Package Quantity (Imperial)

Package Quantity (Metric)

1

Customs Number

3925900000

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions