

## Timer Connector System

TE Internal #: 828801-4

PCB Mount Header, Horizontal, Wire-to-Board, 10 Position, 5.6 mm [.22 in] Centerline, Fully Shrouded, Tin, Timer Connector System


View on TE.com >




Connectors > PCB Connectors > PCB Headers & Receptacles > Low & Medium Power Header











Connector System: Wire-to-Board

Number of Positions: 10

Centerline (Pitch): 5.6 mm [ .22 in ]

Sealable: No

PCB Mount Orientation: Horizontal

All Low & Medium Power Header (169)

## Features

## **Product Type Features**

Hybrid Header	No
Connector Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Foatures	

#### **Configuration Features**

Number of Sections	1
Number of Positions	10
PCB Mount Orientation	Horizontal
Number of Rows	2

## **Body Features**



Primary Product Color	Black
Contact Features	
Contact Size	3mm
Contact Type	Tab
Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.8 mm[.031 in]
Contact Mating Area Plating Material	Tin
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mounting Holes	With
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
PCB Mount Retention	With
Mating Retention Type	Locking Interface
Housing Features	
Centerline (Pitch)	5.6 mm[.22 in]
Dimensions	
Connector Length	41.1 mm[1.358 in]
Connector Width	25.9 mm[1.02 in]
Profile Height from PCB	19 mm[.748 in]
Operation/Application	
Shielded	No
Circuit Application	Signal
Packaging Features	
Packaging Quantity	56
Other	
Interface Number	929504

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts




Also in the Series | Timer Connector System





Automotive Connector Caps & Covers (12)



Automotive Connector Locks & Position Assurance(17)



Automotive Housings(237)



Automotive Terminals(145)



Connector Seals & Cavity Plugs(32)




Crimp Terminal Housings(13)



Insertion & Extraction Tools(19)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(82)



Quick Disconnects(4)


# Customers Also Bought



AMP MCP Unsealed Headers




RN 0805 402R 0.1% 10PPM 1KRL



TE Part #4-1879280-6 RP 2A 200K 0.1% 15PPM CUT LENGTH





TE Part #828801-3 2X 4P MESSERLEI 3,0



TE Part #1-826632-6 16P AMPMODU II STIFT LEI



TE Part #215460-8 MICRO-MATCH FEM.SE





TE Part #8-1768397-5 LBF-ETI111292

## **Documents**

## **Product Drawings**

2X 5P MESSERLEI 3,0

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_828801-4\_E.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_828801-4\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_828801-4\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Product Specification** 

English