TE Internal #: 172486-2

Housing, Receptacle, Wire-to-Wire, 2 Position, .098 in [2.5 mm]

Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable,

Power & Signal

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings











Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 2.5 mm [.098 in]

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	250 VAC	
-------------------	---------	--

Body Features

Connector Profile	Standard
Primary Product Color	Natural

Contact Features



Contact Layout	Inline
Contact Type	Socket
Contact Current Rating (Max)	2 A
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Strain Relief	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Lock
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Entry Configuration	Both Ends Closed
Housing Material	Nylon 66
Centerline (Pitch)	2.5 mm[.098 in]
Dimensions	
Connector Length	6.9 mm
Connector Height	5.75 mm
Usage Conditions	
Operating Temperature Range	-20 – 95 °C[-4 – 203 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag
Other	
Discrete Wire Connector Comment	Extraction-Reinforced Version (Compatible



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Melamine (3% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













TE Part # 170204-2
EIS CONTACT



TE Part # 172211-2 EIS CAP HSG FREE HANG 2P NATUTURAL



TE Part # 170263-2 E.I.S. CONTACT



TE Part # 170262-4
EIS CONNCTOR FORMING



TE Part # 170262-2 EIS CONTACT



TE Part # 170262-1 EIS CONTACT



TE Part # 170263-1
EIS CONTACT





TE Part # 170263-3
EIS CONNCTOR FORMING



TE Part # 170262-3 E.I.S CONTACT

Customers Also Bought



TE Part #1-917266-3
DYNAMIC D-3200 P/MOUNT REC HSG




TE Part #1746973-1
GRACE INERTIA CONNECTOR 6.2
MM PITCH TAB



TE Part #178125-1 U/POWER PLUG HSG 2P 7.92M/M



TE Part #170360-4 MINI UNIVERSAL M-N-L PIN



TE Part #172127-1
FF 250 PLUG HSG 1P NYLON NAT



TE Part #292215-3 MINI CT SGL RELAY 3P NAT



TE Part #2822362-4 070 EJ MK-2 SENSOR PLUG 2P DARK GREEN





TE Part #937195-7
SHEAR,FLOAT FRONT

Documents

Product Drawings

2P REC HSG CRIMP EI SER

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_172486-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_172486-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_172486-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\pmb{\mathsf{Terms}}$ and $\pmb{\mathsf{Conditions}}$ of use.

Datasheets & Catalog Pages

1-1773972-5_EIS_Connectors_Brochure

English

Product Specifications

Crimping of AMP El Series Connector Contacts

Japanese

Application Specification

Japanese

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

Agency Approval Document

Housing, Receptacle, Wire-to-Wire, 2 Position, .098 in [2.5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



English