HellermannTyton

Specification Sheet

Part Number: VWMDS4X5BKH



Multiple pre-configured options available that can be mounted either on the side of the relay rack or between two adjacent racks Breakaway fingers can be removed to allow routing of large cable bundles

Features an easily removable plastic film on the cover which ensures a neat appearance and improves rack aesthetics when the wire managers are installed

Vertical Wire Manager Dual-Sided, Side Mount, 4.0" x 5.0" x 35.0" Front, Hinged, Black, 1/box

Article Number	854-09220
Туре	VWMDS4X5H
Color	Black (BK)
Quantity Per	box
Product Description	HellermannTyton vertical wire managers are available in single and dual sided styles. Pre-configured to mount either on the side of the relay rack or between two adjacent racks. Equipped with feed-through holes to move cable from back to front and vice versa.
Short Description	Vertical Wire Manager Dual-Sided, Side Mount, 4.0" x 5.0" x 35.0" Front, Hinged, Black, 1/box
Global Part Name	VWMDS4X5H

Length L (Imperial)	35.0
Length L (Metric)	889.0
Variant	Vertical
Width W (Imperial)	4.0
Width W (Metric)	101.6
Height H (Imperial)	35.0
Height H (Metric)	889.0
Depth D (Imperial)	5.0
Depth D (Metric)	127.0
Material	Polyurethane resin (PUR)
Material	
Material Shortcut	PUR
UV Resistant (Yes/No)	No
Reach Compliant (Article 33)	No
UL Listed (US and Canada)	Yes

UL Listed (US	3)
---------------	----

Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	3925900000

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.			
Contact Us	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions